voestalpine Böhler Welding

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Thermanit JE-308L
- · CAS Number: -
- · EINECS Number: -
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Rods and Wires for Welding The product is a manufactured article in the sense of Article 3 No. 3, 1907/2006/EC (REACh). The purpose of the present safety data sheet is therefore to provide instruction on safe usage of the product.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

voestalpine Böhler Welding Germany GmbH Hafenstr. 21 59067 Hamm, Germany www.voestalpine.com/welding

· Further information obtainable from:

Research and Development Helena Stabel +49 2381 271 - 578; Helena.Stabel@voestalpine.com

· 1.4 Emergency telephone number:

NCEC

+44 1235 239670

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The Product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Page 2/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

Trade name: Thermanit JE-308L

(Contd. of page				
Dangerous components:				
CAS: 7440-47-3 EINECS: 231-157-5 Reg.nr.: 01-2119485652-31-XXXX	chromium substance with a Community workplace exposure limit	12.5-25%		
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7 Reg.nr.: 01-2119438727-29-XXXX	nickel Carc. 2, H351; STOT RE 1, H372 Skin Sens. 1, H317	5-12.5%		
CAS: 7439-96-5 EINECS: 231-105-1 Reg.nr.: 01-2119449803-34-XXXX	manganese substance with a Community workplace exposure limit	0.1-2.5%		

SECTION 4: First aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

For deletion of fire just use dry powders. Don't use any water or halogenated containing extinguishing agents

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- Use respiratory protective device against the effects of fumes/dust/aerosol.
- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure that suitable extractors are available on processing machines

(Contd. on page 3)

voestalpine Böhler Welding

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

(Contd. of page 2)

Trade name: Thermanit JE-308L

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7440-47-3 chromium

IOELV Long-term value: 2 mg/m³

as Cr 7439-96-5 manganese

IOELV Long-term value: 0.2* 0.05** mg/m³ as Mn; *inhalable, **respirable fraction

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Filter P2
- Protection of hands: EN 12477

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Leather gloves
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses
- · Body protection: Protective work clothing

9.1 Information on basic physical General Information Appearance:	and chemical properties	
Form:	Solid	
Colour:	Not determined.	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Decomposition temperature:	Not determined.	
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(Contd. on pa

Page 3/9

Page 4/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

Trade name: Thermanit JE-308L

	(Contd. of p	page		
Auto-ignition temperature:	Product is not selfigniting.			
Explosive properties:	sive properties: Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Density:	Not determined.			
Relative density	Not determined.			
Vapour density	Not applicable.			
Evaporation rate	Not applicable.			
water:	Insoluble.			
Partition coefficient: n-octanol/w	vater: Not determined.			
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
Solids content:	100.0 %			
9.2 Other information	No further relevant information available.			

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 5)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

(Contd. of page 4)

Trade name: Thermanit JE-308L

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must be specially treated adhering to official regulations.

· European waste catalogue

12 01 13 welding wastes

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information				
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void Void			
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void			
 14.3 Transport hazard class(es) 				
· ADR, ADN, IMDG, IATA · Class	Void			
· 14.4 Packing group · ADR, IMDG, IATA	Void			
 14.5 Environmental hazards: Marine pollutant: 	No			
· 14.6 Special precautions for user	Not applicable.			
 14.7 Transport in bulk according to Annex II Marpol and the IBC Code 	of Not applicable.			
· Transport/Additional information:	Not dangerous according to the above specifications.			
· UN "Model Regulation":	- Void			

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

(Contd. of page 5)

Trade name: Thermanit JE-308L

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Additional information:

Recommendations for exposure scenarios, measures for risk management and identification of working conditions under which metals, metal alloys and products made of metal can be safely worked can be found attached. Detailed information can be found on our webpage www.voestalpine.com (Environment, REACH at voestalpine).

(Contd. on page 7)

Page 6/9

Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Trade name: Thermanit JE-308L

Version number 53

Revision: 10.11.2020

(Contd. of page 6) Welding Exposure Scenario WES - ENGL EWA2011 Recommendations for Exposure Scenarios, Risk Management Measures and to identify Operational Conditions under which metals, alloys and metallic articles may be safely welded Welding/Brazing produces fumes which can affect human health and the environment. Fumes are a varying mixture of airborne gases and fine particles which, if inhaled or swallowed, constitute a health hazard. The degree of risk will depend on the composition of the fume, concentration of the fume and duration of exposure. The fume composition is dependent upon the material being worked, the process and consumables being used, coatings on the work such as paint, galvanizing or plating, oil or contaminants from cleaning and degreasing activities. A systematic approach to the assessment of exposure is necessary, taking into account the particular circumstances for the operator and ancillary worker that can be exposed. Considering the emission of fumes when welding, brazing or cutting of metals, it is recommended to (1) arrange risk management measures through applying general information and guidelines provided by this exposure scenario and (2) using the information provided by the Safety Data Sheet, issued in accordance with REACH, by the welding consumable manufacturer. The employer shall ensure that the risk from welding fumes to the safety and health of workers is eliminated or reduced to a minimum. The following principle shall be applied: 1- Select the applicable process/material combinations with the lowest class, whenever possible. 2- Set welding process with the lowest emission parameter. 3- Apply the relevant collective protective measure in accordance with class number. In general, the use of PPE is taken into account after all other measures is applied. 4- Wear the relevant personal protective equipment in accordance with the duty cycle. In addition, compliance with the National Regulations regarding the exposure to welding fumes of welders and related personnel shall be verified. In the table "Risk Management Measures for individual process / material combinations" below, reference is made to the following standards and personal protection r Veding process Reference Numbers according to ISO 4063 Weding process Reference Numbers according to ISO 4063 Health and safety in welding and allied processes - Requirements testing and marking of equipment or air filtration - Part 1: Testing of the separation efficiency for welding fume Health and safety in welding and allied processes - Requirements, testing and marking of equipment for air filtration - Part 2: Determination of the minimum air volume flow rate of captor hoods and notable. ISO 4063 EN ISO 15012-1:2004 EN ISO 15012-2:2008 nozzles Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking (FFP1 - FFP2 - FFP3) Respiratory protective devices. Light duty construction compressed air line breathing apparatus incorporating a helmet or a hood. Requirements, testing, marking (LDH1 - LDH2 - LDH3). Respiratory protective devices. Powered filtering devices incorporating a helmet or a hood. Requirements, testing, marking (TH1 - TH2 - TH3). Respiratory protective devices — Particle filters — Requirements, testing, marking (P1, P2, P3) Article 6.2 on the protection of the health and safety of workers from the risks related to chemical agents at work EN 149:2001 EN 1835:2000 EN 12941:1998 EN 143:2000 Directive 1998/24/EC Autor 6.2 of the procedulor of the result and safety of workers from the risks related to chemical agents at work Benutzung von Atemschutzgeräten (Berufsgenossenschaftliche Regel für Sicherheit und Gesundheit bei der Arbeit) **BGR 190 TRGS 528** Schweisstechnische Arbeiten (Technische Regeln für Gefahrstoffe) Also in the table "Risk Management Measures for individual process / material combinations", reference is made to footnotes The description of these footnotes: e description of these footnotes: Class: approximate ranking to mitigate risk by selecting process/material combinations with the lowest value. Identified collective and individual risk management measures shall be applied Personal Protective Equipment (PPE) required avoiding exceeding the National Exposure Limit Value (DC: Duty cycle expressed on 8 2 hours) General Ventilation (GV) Low, With additional Local Exhaust Ventilation (LEV) and extracted air to the outside, the GV or LEV capacity з may be reduced to 1/5 of the original requirement. General Ventilation (GV) Medium (double compared to Low) Filtrating half mask (FFP2) When an alloyed consumable is used, measures from "Class V" are required General Ventilation (GV) Low. When no Local Exhaust Ventilation, the ventilation requirement is 5-fold Filtrating half mask (FFP3), helmet with powered filters (THZ/P2), or helmet with external air supply (LDH2) Reduced (negative) pressured Area: A separate, ventilated area where reduced (negative) pressure, compared to the surrounded area, is Reduced (negative) pressured Area: A separate, ventilated area where reduced (negative) pressure, compared to the surrounded area, is maintained Local Exhaust Ventilation (LEV) High, extraction at source (includes table, hood, arm or torch extraction) Helmet with powered filters (TH3/P3), or helmet with external air supply (LDH3) Local Exhaust Ventilation (LEV) Low, extraction at source (includes table, hood, arm or torch extraction) Local Exhaust Ventilation (LEV) Low, extraction at source (includes table, hood, arm or torch extraction) Recommended measures to comply with national maximum allowable limits. Extracted fumes, for all materials except unalloyed steel and aluminium, shall be filtered before release in the outside environment. A confined space, despite its name, is not necessarily small. Examples of confined spaces include ship, silos, vats, utility vaults, tanks, etc. Improved helmet, designed to avoid direct flow of welding fumes inside 13 14 15 n.a. n.r. Not applicable Not recommended

(Contd. on page 8)

EU

Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

(Contd. of page 7)

Trade name: Thermanit JE-308L

Welding Exposure Scenario WES - ENGL

EWA2011

Risk Management Measures for individual process / base material combinations

Class'	Process	Base	Remarks	Ventilation /	PPE ²	PPE ²
	(according to ISO 4063)	Materials		Extraction / Filtration ¹⁴	DC<15%	DC>15%
			Non-confined sp	ace ¹⁵		
1	GTAW 141					
	SAW 12					
	Autogeneous 3] All	Except Aluminium	GV low ³	n.r.	n.r.
	PAW 15					
	ESW/EGW 72/73]				
	Resistance 2	1				
	Stud welding 78	1				
	Solid state 521	1				
	Gases Brazing 9	All	Except Cd- alloys	GV low ³	n.r.	n.r.
11	GTAW 141	Aluminium	n.a.	GV medium ⁴	n.a.	FFP2 [®]
111	MMAW 111	All	Except Be-, V- , Mn-,			
			Ni- alloys and			
			Stainless ⁶	GV low ⁷	Improved	FFP2 ⁵
	FCAW 136/137	All	Except Stainless and	LEV low ¹²	helmet ¹⁶	
			Ni- alloys 6			
	GMAW 131/135	All	Except Cu-, Be-, V-	1		
			alloys			
	Powder Plasma Arc 152	All	Except Be-, V-, Cu-,	1		
			Mn-, Ni-alloys and			
			Stainless 6			
IV	All processes class I	Painted /	No Pb containing	GV low ³		FFP3,
		primed / oiled	primer		FFP2 ⁵	TH2/P2,
	All processes class III Pai	Painted /	No Pb containing	GV low '		or LDH28
		primed / oiled	primer	LEV low ¹²		
V	MMAW 111	Stainless, Ni-,	n.a.	LEV high ¹⁰	TH3/P3,	TH3/P3,
		Be-, and V-			LDH3 ¹¹	LDH3 ¹¹
		alloys				
	FCAW 136/137	Stainless,	1			
		Mn- and Ni-				
		alloys				
	GMAW 131	Cu-alloys				
	Powder Plasma Arc 152	Stainless,	1			
		Mn-, Ni-, and				
		Cu- alloys				
VI	GMAW 131	Be-, and V-	n.a.	Reduced (negative) pressured area 9	TH3/P3,	TH3/P3,
	Powder Plasma Arc 152	alloys		LEV low ¹²	LDH3 ¹¹	LDH3 ¹¹
VII	Self shielded FCAW 114	Un-, high	Cored wire, not	Reduced (negative) pressured area	+	
VII	Con aniciaca FOAV8 114	alloyed steel	containing Ba	LEV medium ¹³		1
	Self shielded FCAW 114	Un-, high	Cored wire,	Reduced (negative) pressured area	TH3/P3,	TH3/P3.
	Gen americeu FCAVV 114	alloyed steel	containing Ba	LEV high ¹⁰	LDH3 ¹¹	LDH3 ¹¹
	All	Painted /	Paint / Primer		201.0	1
	/ 31	primed	containing Pb			1
	Arc Gouging and	All	n.a.	1		1
	Cutting 8		11.00.			1
	Thermal Spray	All	n.a.	1		1
	Gases Brazing 9	Cd- alloys	n.a.	1		1
	Guses bruging 5		losed system or Confi	ined snace ¹⁵	1	1
1	Laser Welding 52		Closed system	GV medium ⁴	n.a.	n a.
	Laser Cutting 84	1	Sissed system		1.0.	····u.
	Electron Beam 51	1				1
	All ST	All	Confined space	LEV high ¹⁰ External air supply	LDH3 ¹¹	LDH311
			Louinited space	LEVINGII Externaran supply	LDUD	LOUD
VIII	201	2000				

Relevant phrases
 H317 May cause an allergic skin reaction.
 H351 Suspected of causing cancer.
 H372 Causes damage to organs through prolonged or repeated exposure.

· Department issuing SDS: R&D

· Contact: Helena Stabel

 Abbreviations and acronyms: NCEC - National Chemical Emergency Centre (=Carechem24) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

ÉU

voestalpine Böhler Welding

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.11.2020

Version number 53

Revision: 10.11.2020

(Contd. of page 8)

Trade name: Thermanit JE-308L

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 • * Data compared to the previous version altered.

EU -

Page 9/9